HP t740 Thin Client



Deliver secure, powerhouse performance to your graphicsintensive virtual, cloud, and local computing environments with the HP t740 Thin Client, our most powerful desktop thin client that supports up to six 4K displays.¹



Our ultimate power and performance

 Blaze through demanding workloads with the ultra-powerful AMD Ryzen[™] Embedded V1756B processor² and fast system memory. Render content seamlessly with support for up to six UHD/4K displays.¹

Robust security

Encrypt data as it flows between the system memory and processor, protect firmware, and lock down
access with an inherently secure thin client that has AMD memory guard, an embedded OS, and a NIST
SP800-193 component.

Built to spec, built for you

• Get a thin client optimized for your unique business needs with a configurable PCIe slot that supports advanced graphics, multiple displays, alternative networking, and optional ports.

Value-added software

• Remotely setup and deploy your devices, boost Wi-Fi[®] network performance, and get local-quality multimedia with included software that makes our thin clients capable, responsive, and reliable.

Featuring

- Deter unauthorized updates with an embedded operating system that protects flash memory. Customize user settings and permissions to monitor and control incoming and outgoing data.
- Secure your content and data even more with an optional smartcard-integrated keyboard and Fiber Optic NIC connection.



HP t740 Thin Client Specifications Table







Browset ThinPro) Available Processors1 AMD Ryzem™ V1756B with Radeon™ Vega 8 Graphics (3.25 GHz base clock, up to 3.6 GHz max boost clock, 2 MB cache, 4 cores) Maximum memory 32 GB DDR4-3200 SDRAM ³ Transfer rates up to 3200 MT/s Memory slots 2 SODIMM Internal storage 16 GB up to 512 GB Flash memory ² Available Graphics Integrated: AMD Radeon™ Vega 8 Protocols Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme Audio Internal amplified speaker system for basic audio playback Expansion slots 1 half-height PCle x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business SIIm Keyboard; HP USB Optical Mouse; Communications Allied Telesis AT-2711FX/SC PCle Fast Ethernet Allied Telesis AT-2711FX/SC PCle Gigabit 4.5; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo; Available Software6 HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 2.1 x 21 cm Weight <td< th=""><th>Available Operating Systems</th><th>Windows 10 IoT Enterprise LTSC 2019 HP ThinPro</th></td<>	Available Operating Systems	Windows 10 IoT Enterprise LTSC 2019 HP ThinPro
Maximum memory 32 GB DDR4-3200 SDRAM ³ Transfer rates up to 3200 MT/s Memory slots 2 SODIMM Internal storage 16 GB up to 512 GB Flash memory ² Available Graphics Integrated: AMD Radeon™ Vega 8 Protocols Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme Audio Internal amplified speaker system for basic audio playback Expansion slots 1 half-height PCIe x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business SIm Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711 KX/SC PCIe Gigabit Allied Telesis AT-2714 SX/LC PCIe Gigabit ^{4,5} ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo; Available Software ⁶ HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Browser	Internet Explorer (for models with Windows 10 IoT Enterprise LTSC 2019); Mozilla Firefox (for models with HP ThinPro)
Maximum memory Transfer rates up to 3200 MT/s Memory slots 2 SODIMM Internal storage 16 GB up to 512 GB Flash memory ² Available Graphics Integrated: AMD Radeon™ Vega 8 Protocols Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme Audio Internal amplified speaker system for basic audio playback Expansion slots 1 half-height PCle x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTLB111HSH GbE Allied Telesis AT-2911 SX/SC PCle Fast Ethernet Allied Telesis AT-2914 SX/SC PCle Gigabit Allied Telesis AT-2914 SX/SC PCle Gigabit Allied Telesis AT-2914 SX/LC PCle Gigabit Allied Telesis AT-2914 SX/LC PCle Gigabit Allied Telesis AT-2914 SX/LC PCle Gigabit Allied Telesis, Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Available Processors ¹	AMD Ryzen™ V1756B with Radeon™ Vega 8 Graphics (3.25 GHz base clock, up to 3.6 GHz max boost clock, 2 MB cache, 4 cores)
Internal storage 16 GB up to 512 GB Flash memory ² Available Graphics Integrated: AMD Radeon™ Vega 8 Protocols Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme Audio Internal amplified speaker system for basic audio playback Expansion slots 1 half-height PCIe x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711FX/SC PCIe Fast Ethernet Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/LC PCIe Gigabit ^{4,5} ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo ; Available Software ⁶ HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Maximum memory	
Available Graphics Integrated: AMD Radeon™ Vega 8 Protocols Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme Audio Internal amplified speaker system for basic audio playback Expansion slots 1 half-height PCIe x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711FX/SC PCIe Fast Ethernet Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit 4.0 Available Software ⁶ HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance? ENERGY STAR® certified; EPEAT® 2019 registered	Memory slots	2 SODIMM
Protocols Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme Audio Internal amplified speaker system for basic audio playback Expansion slots 1 half-height PCIe x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2914 SX/SC PCIe Fast Ethernet Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis, Microsoft SCCM/EDM Agent Power 90 W smart external power adapter S x 8.26 x 8.26 in S x 21 x 21 cm 5 x 8.26 x 8.26 in S x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Internal storage	16 GB up to 512 GB Flash memory ²
Audio Internal amplified speaker system for basic audio playback Expansion slots 1 half-height PCle x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711FX/SC PCle Fast Ethernet Allied Telesis AT-2914 SX/SC PCle Gigabit ^{4,5} ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo ; Available Software ⁶ HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Available Graphics	Integrated: AMD Radeon™ Vega 8
Expansion slots 1 half-height PCle x16 (x8) Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711FX/SC PCle Fast Ethernet Allied Telesis AT-2914 SX/SC PCle Gigabit Allied Telesis AT-2914 SX/LC PCle Gigabit 4.5; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo; Available Software ⁶ HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Protocols	Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme
Ports and Connectors Front: 1 headphone/microphone combo; 1 USB 3.1 Gen 1; 1 USB 3.1 Type-C™; 1 USB 3.1 Type-C™ Gen 2 Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711FX/SC PCIe Fast Ethernet Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/LC PCIe Gigabit ^{4,5} ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo ; Available Software ⁶ HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Audio	Internal amplified speaker system for basic audio playback
Points and connectors Back: 2 USB 2.0; 2 USB 3.1 Gen 1; 4 DisplayPort™ 1.2 Input devices HP USB Business Slim Keyboard; HP USB Optical Mouse; LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711FX/SC PCIe Fast Ethernet Communications Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit ^{4,5} ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo; Available Software ⁶ HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Expansion slots	1 half-height PCIe x16 (x8)
LAN: Realtek RTL8111HSH GbE Allied Telesis AT-2711FX/SC PCIe Fast Ethernet Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/LC PCIe Gigabit ^{4,5} ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo ;Available Software6HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM AgentPower90 W smart external power adapterDimensions5 x 8.26 x 8.26 in 5 x 21 x 21 cmWeight2.93 lbEnergy efficiency compliance7ENERGY STAR® certified; EPEAT® 2019 registered	Ports and Connectors	
CommunicationsAllied Telesis AT-2711FX/SC PCIe Fast Ethernet Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/LC PCIe Gigabit 4.lied Telesis AT-2914 SX/LC PCIe Gigabit 4.5; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5 Combo ;Available Software6HP Device Manager; HP Easy Shell; HP Easy Tools; HP Smart Zero Client Services; HP ThinUpdate; HP True Graphics; Microsoft SCCM/EDM AgentPower90 W smart external power adapterDimensions5 x 8.26 x 8.26 in 5 x 21 x 21 cmWeight2.93 lbEnergy efficiency compliance7ENERGY STAR® certified; EPEAT® 2019 registered	Input devices	HP USB Business Slim Keyboard; HP USB Optical Mouse;
Available Software Graphics; Microsoft SCCM/EDM Agent Power 90 W smart external power adapter Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm State Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Communications	Allied Telesis AT-2711FX/SC PCIe Fast Ethernet Allied Telesis AT-2914 SX/SC PCIe Gigabit Allied Telesis AT-2914 SX/LC PCIe Gigabit ^{4,5} ; WLAN: Intel® Wireless-AC 9260 Wi-Fi 5 (2x2) and Bluetooth® 5
Dimensions 5 x 8.26 x 8.26 in 5 x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Available Software ⁶	
S x 21 x 21 cm Weight 2.93 lb Energy efficiency compliance ⁷ ENERGY STAR® certified; EPEAT® 2019 registered	Power	90 W smart external power adapter
Energy efficiency compliance ⁷ ENERGY STAR [®] certified; EPEAT [®] 2019 registered	Dimensions	
	Weight	2.93 lb
Environmental specifications ⁸ Low balogen	Energy efficiency compliance ⁷	ENERGY STAR [®] certified; EPEAT [®] 2019 registered
zow hatogen	Environmental specifications ⁸	Low halogen

HP t740 Thin Client

Messaging Footnotes

1 DisplayPortTM cables and displays sold separately. The HP t740 Thin Client must be configured with optional AMD RadeonTM E9173 PCI Express graphics card to support more than four displays

² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. AMD's numbering is not a measurement of clock. ³ Keyboard and network adapter sold separately or as configurable options at the time of purchase.

AMD and Radeon are trademarks of Advanced Micro Devices, Inc. DisplayPort^M and the DisplayPort^M logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Wi-Fi® is a registered trademark of Wi-Fi Alliance®

Technical Specifications Footnotes

¹ Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. AMD's numbering is not a measurement of clock speed.
 ² For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes.
 ³ Graphics chipset uses part of the total system memory (RAM) for graphics performance. System memory dedicated to graphics performance is not available for other use by other programs.

⁴ Optional or add-on feature

⁵ Wireless cards are optional or add-on features and requires separately purchased wireless access point and internet service. Availability of public wireless access points limited.

⁶ Software is dependent on operating system installed. Please refer to this product's QuickSpec for more details.
 ⁷ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.
 ⁸ External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

Sign up for updates hp.com/go/getupdated

© Copyright 2015. Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. DisplayPort[™] and the DisplayPort[™] logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Wi-Fi® is a registered trademark of Wi-Fi Alliance®

